



E-ISSN: 2278-4136
P-ISSN: 2349-8234
JPP 2018; 7(3): 2216-2218
Received: 18-03-2018
Accepted: 22-04-2018

Mukesh Kumar

M.Sc. Extension Student, Dept. of Agricultural Extension and Communication, SHUATS, Allahabad, Uttar Pradesh, India

Dr. Jahanara

Professor and Head Dept. of Agricultural Extension and Communication, SHUATS, Allahabad, Uttar Pradesh, India

Adoption of farmers regarding recommended cultivation practices of cauliflower crop in Khagaria district of Bihar

Mukesh Kumar and Dr. Jahanara

Abstract

Cauliflower is one of the popular vegetable which had its origin in Cyprus and by Orissa, Uttar Pradesh, Haryana, Madhya Pradesh, Assam and Gujarat. Cauliflower is one of the popular vegetable which had its origin in Cyprus and Mediterranean coast. Cauliflower is rich in vitamin C and mostly cultivated in northern India as it requires cooler climate to grow. Khagaria district was selected purposively. The total net crop sown area is 1, 33902 hectares in Khagaria District out of which 8, 3393 hectares under irrigation. Use of biofertilizers is mostly done in the vegetable crops. The cropping intensity being 141.49%. The Khagaria district comprises 7 blocks out of which the study was conducted in chautham block which is selected purposively, due to being more progressive farmers of Block. A list of villages having maximum decision-making capabilities was collected from block office and 12 villages was selected randomly. Survey was conducted it revealed that majority of the respondents (53.50%) had medium adoption level about the recommended cultivation practices of cauliflower.

Keywords: cauliflower, adoption behavior, recommended cultivation practices

Introduction

Cauliflower is rich in vitamin C and mostly cultivated in northern India as it requires cooler climate to grow. Its annual output in India ranges at around 10 lakh tones from an area of more than 2 lakh hectares. At present, Bengal and Bihar are the largest producers of cauliflower in India followed by Orissa, Uttar Pradesh, Haryana, Madhya Pradesh, Assam and Gujarat. Cauliflower is one of the popular vegetable which had its origin in cyprus and Mediterranean coast. Cauliflower is rich in vitamin C and mostly cultivated in northern India as it requires cooler climate to grow. Its annual output in India ranges at around 10 lakh tones from an area of more than 2 lakh hectares. At present, Bengal and Bihar are the largest producers of cauliflower in India followed by Orissa, Uttar Pradesh, Haryana, Madhya Pradesh, Assam and Gujarat. The scientists of the national research Centre on plant Biotechnology and University of Hyderabad and Banaras Hindu University introduced a gene into a popular variety of cauliflower, pusa snowball K-1 and produced a variety which is resistant to diamond back moth attack. Khagaria district was selected purposively. The total net crop sown area is 1, 33902 hectares in khagaria District out of which 8, 3393 hectares under irrigation. Use of biofertilizers is mostly done in the vegetable crops. The cropping intensity being 141.49%. The khagaria district comprises 7 blocks out of which the study was conducted in chautham block which is selected purposively, due to being more progressive farmers of Block. A study entitled "Adoption of farmers regarding recommended cultivation practices of cauliflower cultivation in Khagaria district of Bihar" has been conducted.

Results and Discussion

The results obtained of the present study and relevant discussion have been presented under following heads:

Socio-economic status of respondents

Correspondence

Mukesh Kumar

M.Sc. Extension Student, Dept. of Agricultural Extension and Communication, SHUATS, Allahabad, Uttar Pradesh, India

Table 1

Variables	Category	Frequency	Percentage
Age	Young age (18-30years)	46	38.30
	Middle age (31.50 years)	62	51.60
	Old age (>50 years)	12	10.00
Education	Illiterate	8	6.60
	Primary school (1 st to 7 th)	10	8.30
	Middle school	24	20.00
	High school (8 th -10 th)	32	26.60
	Intermediate	26	21.70
	Graduate	16	13.30
	PG	4	3.30
Land holding	Marginal farmers (0-2.5acres)	10	8.30
	Small farmers (2.51-5acres)	16	13.30
	Semi medium farmers (5.01-10 acres)	34	28.30
	Medium farmers (10.01-25 acres)	56	46.70
Farming experience	Big farmers (>25 acres)	4	3.30
	Low (upto10) years	12	10.00
	Medium (10-20) years	68	56.60
	Above (>20 years)	40	33.30
Annual income	Low (< Rs 20,000)	12	10.00
	Semi Medium (Rs 20,000-75,000)	28	23.30
	Medium (Rs 75,000-1,00,000)	42	35.00
	>Rs 100000	38	31.60
Risk orientation	Low (up to 7.70)	42	35.00
	Medium (7.70 -10.98)	66	55.00
	High (above 10.98)	12	10.00
Innovativeness	Low (up to 21.51)	35	29.16
	Medium (21.51-30.89)	54	45.00
	High (above 30.89)	31	25.83

In table no 1 it can be seen from table and that, 51.60 per cent of respondents were middle aged whereas, 38.30 per cent were young age and 10.00 per cent were old age. The data in table and indicates that, 26.60 per cent of the cauliflower growers studied up to high school, followed by 21.70 per cent studied up to PUC, 20.00 per cent studied up to middle school and very less percentage 8.30 per cent and 3.30 per cent of them studied up to primary and post graduate level, respectively. It can be noticed from Table that, 56.6 per cent of respondents belonged to medium farming experience category (10 to 20 years) followed by high farming experience 33.30 per cent (above 20 years) and low 10.00 per cent (up to 10 years) farming experience. It is clear from table that, 46.00 per cent of respondents had medium land holding (10.01 to 25.00 acres) followed by semi-medium (28.50%) small (13.30%) marginal farmers (8.30%) and big farmers (3.30%). It can be viewed from table 5 that, 35.00 and 31.60 per cent of them had an annual income between Rs, 75,000 to 1, 00,000 and above Rs. 1, 00,000 respectively. Rest of them 23.30 per cent had an income between Rs. 20,000 to Rs. 75,000 per annum whereas only 10.00 per cent of them had income below Rs. 20,000 per annum. It can be observed from Table and that, 55.00 per cent of respondents belonged to medium level of risk bearing ability, whereas 35.00 and 10.00 per cent of them had low and high risk bearing ability respectively. It can be revealed from Table that, 45 per cent of respondents belonged to medium level of innovativeness category, while 29.16 and 25.83 per cent of respondents belonged to low and high-level innovativeness category respectively.

Level of adoption of the respondents regarding improved cultivation of Bt cotton

Table 2

	Category	Frequency	Percentage
1.	Low (Up to 9.99)	38	31.50
2.	Medium (9.99-17.77)	64	53.50
3.	High (above 17.77)	18	15.00
	Total	120	100.00

In table 2 we can notice that Majority of the respondents (53.50%) were having medium adoption level of followed by 31.50 per cent had low adoption and 15.00 per cent respondents had high level adoption.

Conclusion

It is concluded that majority of the respondents were middle aged people and majority of them were having education up to high school level and majority of them were having medium level of farming experience, majority of them having medium land holding. Majority of them had medium annual income. Majority of them have medium risk orientation. Majority of them have medium level of innovativeness. Majority of the respondents had medium level of adoption of improved cultivation practices of Cauliflower crop. So extension efforts like training demonstration and field visits are to be given for the farmers.

References

1. Angadi SC. A Study on knowledge, adoption and marketing pattern of Pomegranate growers in Bagalkot district. M. Sc. (Agri.) Thesis, Univ. Agric. Sci. Dharwad (India), 1999.

2. Bindu Chandran. A study on knowledge and adoption of farmers cultivating Tapioca in Ernakulum district of Kerala state. M.Sc. (Agri.) Thesis, Univ. Agric. Sci. Dharwad (India), 1997.
3. Kanavi VP. A study on the knowledge and adoption behaviour of Sugarcane growers in Belgaum district of Karnataka. M. Sc. (Agri.) Thesis, Univ. Agric. Sci. Dharwad (India), 2000.
4. Maraddi GN, Verma NS. Adoption of Cotton production technologies by the farmers of Malaprabha command area of Karnataka, Karnataka J Agric. Sci. 2003; 16(1):137-140.
5. Naik RD. A study on knowledge and adoption pattern of improved Sugarcane cultivation practices in Bidar district. M. Sc. (Agri.) Thesis, Univ. Agric. Sci. Dharwad (India), 2005.
6. Ravi GK. A study on entrepreneurial behavioural characteristics of SC and ST farmers of Gulbarga district. M. Sc. (Agri.) Thesis, Univ. Agric. Sci. Dharwad (India), 2007.